


	<p>Test Report issued under the responsibility of: </p>
<p>TEST REPORT IEC 60950-1 Information technology equipment – Safety – Part 1: General requirements</p>	
<p>Report Number..... : 15071615 Date of issue..... : 2015-08-31 Total number of pages..... : 50</p>	
<p>Applicant's name :  Address..... : </p>	
<p>Test specification:</p>	
<p>Standard : IEC 60950-1:2005 (Second Edition) + Am 1:2009 + Am 2:2013</p>	
<p>Test procedure..... : CB Scheme</p>	
<p>Non-standard test method..... : N/A</p>	
<p>Test Report Form No..... : IEC60950_1F Test Report Form(s) Originator : SGS Fimko Ltd Master TRF..... : Dated 2014-02</p>	
<p>Copyright © 2014 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.</p> <p>This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.</p> <p>This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.</p>	
<p>General disclaimer:</p> <p>The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.</p>	

Test item description	AC Adapter	
Trade Mark	N/A	
Manufacturer	Same as applicant	
Model/Type reference.....	JY-XXXYYY (XXX=050-840; YYY=001-800) (XXX=050-840 indicates rated output voltage range 05.0-84.0VDC. YYY=001-100 indicates rated output current range 0.01-8.00 A. Max.150W)	
Ratings	Input: 100-240Va.c., 50/60Hz, 2A Output:5.0-84.0V d.c., 0.01-8.00A	
Testing procedure and testing location:		
<input checked="" type="checkbox"/>	Testing Laboratory:	Guangzhou ITL Co., Ltd.
	Testing location/ address	1-2/F, South Block, Building A2, No. 3 Keyan Road, Science City, Guangzhou, Guangdong, China
<input type="checkbox"/>	Associated Testing Laboratory:	N/A
	Testing location/ address	N/A
	Tested by (name + signature)	David Tan 
	Approved by (name + signature)	Bob Dai 
<input type="checkbox"/>	Testing procedure: TMP/CTF Stage 1:	N/A
	Testing location/ address	N/A
	Tested by (name + signature)	N/A
	Approved by (name + signature)	N/A
<input type="checkbox"/>	Testing procedure: WMT/CTF Stage 2:	N/A
	Testing location/ address	N/A
	Tested by (name + signature)	N/A
	Witnessed by (name + signature)	N/A
	Approved by (name + signature)	N/A
<input type="checkbox"/>	Testing procedure: SMT/CTF Stage 3 or 4:	N/A
	Testing location/ address	N/A
	Tested by (name + signature)	N/A
	Witnessed by (name + signature)	N/A

Approved by (name + signature)	N/A	
Supervised by (name + signature).....	N/A	

List of Attachments (including a total number of pages in each attachment):

Attachment No. 1: 20 pages of European Group Differences and National Differences according to EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013.

Attachment No. 2: 2 pages of photo documentation.

Summary of testing:

Tests performed (name of test and test clause):

Following tests performed during evaluation:

- 1.6.2 Input test;
- 1.7.11 Marking durability test;
- 2.1.1.5 Energy hazards test;
- 2.1.1.7 Stored charge on capacitors test
- 2.2 SELV circuits test;
- 2.4 Limited current circuits test;
- 2.9.2 Humidity condition test;
- 2.10.2 Determination of working voltage;
- 2.10.3&2.10.4 Clearance & Creepage distances;
- 3.2.6 Strain relief test;
- 4.2.2-4.2.4 Steady force test;
- 4.2.5 Impact test;
- 4.2.6 Drop test;
- 4.2.7 Stress relief test;
- 4.5.2 Normal heating test;
- 4.5.5 Ball pressure test;
- 5.1 Touch current and protective conductor current test;
- 5.2 Electric strength test;
- 5.3 Abnormal operating and fault conditions test.

Testing location:

Guangzhou ITL Co., Ltd.

1-2/F., South Block, Building A2, No.3, Keyan Road, Science City, Guangzhou Guangdong CHINA

Summary of compliance with National Differences:

- The product fulfils the requirements of EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013.